


HUS 6 / HUS-S 6 Screw anchor

Everyday standard screw anchor



Approvals / certificates

fastening

distance and

spacing

Approvais / ocitinoates		
Description	Authority / Laboratory	No. / date of issue
Assessment report (fire)	warringtonfire	WF327804/A 2013-07-10



Basic loading data (for a single anchor)

All data in this section applies to:

- Correct setting (See setting instruction)
- No edge distance and spacing influence
- Concrete as specified in the table
- Steel failure
- Minimum base material thickness
- Concrete C 20/25, fck,cube = 25 N/mm²
- Applied loads to individual bricks/blocks without compression may not exceed 1,0 kN
- Applied loads to individual bricks/blocks with compression may not exceed 1,4 kN
- Data applies only to bricks/blocks, there is no test data available for loads in mortar joints. Hilti recommends at least 50% load reduction or on site testing, if the location of the anchor in relation to the joint can not be specified because of wall plaster or insulation.
- Plaster, gravelling, lining or levelling courses are regarded as non-bearing and may not be taken into account for calculation of embedment depth

Note:

When tightening the screw anchor in soft base materials and in hollow brick, care must be taken not to apply too much torque. If the screw anchor is over-tightened the fastening point is unusable for the HUS 6.

	Solid mas	onry units	Autoclaved aerated concrete			
Base material	Mz 12 Solid brick	KS 12 Solid lime block	PB6 Block	PB2 Block		
Compressive strength	[N/mm ²]	12	12	6	2	
Bulk density	[N/mm ²]	1,8	2,0	0,6	0,2	
Format (length/width/height)	[mm]	240/175/113	240/175/113	-	-	

Recommended loads^{e)}

Anchor size			6												
Anchor type			HUS 6												
Base material			crac	on- cked crete	Cracked concrete a)	brie	lid ck ^{b)} 20	blo	ne ck ^{b)} sand	Hollow Brick ^{b)} Hlz 0.8/12		PB / PB4 ^{c)d)}		PB6 ^{c)}	
Nominal embed. depth	h _{nom}	[mm]	3	4	44	4	4	4	4	6	4	6	4	6	4
Edge distance	c≥	[mm]	60	30	100	60	30	60	30	60	30	60	30	60	30
Tension N _{Rec}		[kN]	1,0	1,0	0,5	0,2	0,2	1,0	1,0	0,1	0,1	0,2	0,2	0,2	0,2
Shear V _{Rec}		[kN]	1,6	0,5	0,5	0,4	0,3	1,1	0,4	0,4	0,2	0,3	0,1	0,6	0,2

a) Redundant fastening

b) Holes must be drilled using rotary action only (no hammering action)

c) Aerated concrete

d) No anchor hole drilling required in PB2/PB4 gas aerated concrete

e) With overall partial safety factor for action $\gamma = 1,4$. The partial safety factors for action depend on the type of loading and shall be taken from national regulations.



Materials

Mechanical properties


Anchor size		HUS 6 / HUS-S 6
Nominal tensile strength fuk	[N/mm ²]	1000
Yield strength fyk	[N/mm ²]	900
Stressed cross-section As	[mm ²]	5,2
Moment of resistance W	[mm ³]	13,8
Design bending resistance M ⁰ _{Rk,s}	[Nm]	11

Material quality

Part	Material
Screw anchor	Carbon Steel,galvanized ≥ 5 μm

Anchor dimensions


Anchor size			HUS 6	HUS-S 6
Nominal length of screw	ls	[mm]	35 - 220	100 - 220
Core diameter	dĸ	[mm]	5,3	5,3
Shaft diameter	d	[mm]	7,5	7,5



Prägung: HUS ℓ_s z.B. HUS 60



Head configuration HUS-S





Setting information


Setting details


Anchor size			6						
Anchor type			HUS						
Base material			Concrete C20/25	Solid brick /Mz 20	Hollow Brick Hlz 0.8/12	PB / PB4 ^{c)}	PB6 ^{c)}		
Nominal embed. depth	\mathbf{h}_{nom}	[mm]	34	44	64	64	64		
Nominal diameter of drill bit	d_0	[mm]	6	6	6	-	6		
Cutting diameter of drill bit	d _{cut}	[mm]	6,4	6,4	6,4	-	6,4		
Minimum depth of drill hole	h₁≥	[mm]	50	54 ^{b)}	64 ^{a)}	_b)	70		
Diameter of clearance hole in the fixture to clamp a fixture	d _f ≤	[mm]			8,5				
Diameter of clearance hole in the fixture for stand-off	d _f ≤	[mm]	6,2						
Max. fastening thickness	t _{fix}	[mm]			ls – h _{nom}				
Max. installation torque	Tinst	[mm]	10	4	2	2	2		

Holes must be drilled using rotary action only (no hammering action) No anchor hole drilling required in PB2/PB4 gas aerated concrete

a) b) c)

Aerated concrete





HUS

HUS-S


Installation equipment

Anchor size	HUS 6	HUS-S 6				
Rotary hammer	TE 6 / TE 7					
Drill bit	TE-C3X 6/17					
Recommended setting tool	SID / SIW 121, SID / SIW 144, TKI 2500					
Accesories	S-B TXI 40 bit	S-B TXI 30 bit				



Permissible anchor location in brick and block walls:

- Distance to free edge free edge to solid masonry (HLz and autoclaved aerated gas concrete) units ≥ 170 mm
- Distance to free edge free edge to solid masonry (Mz and KS) units ≥ 200 mm
- The minimum distance to horizontal and vertical mortar joint (cmin) is stated in the recommended load table.
- Data applies only to bricks/blocks, there is no test data available for loads in mortar joints. Hilti recommends at least a 50% load reduction or on site testing, if the location of the anchor in relation to the joint (see drawing) can not be specified because of wall plaster or insulation.
- Minimum anchor spacing (smin) in one brick/block is ≥ 2*cmin



Setting instructions

*For detailed information on installation see instruction for use given with the package of the product

